LONDONDERRY TOWNSHIP DAUPHIN COUNTY, PENNSYLVANIA

ORDINANCE 2025-02

AN ORDINANCE TO AMEND THE CODE OF ORDINANCES OF THE TOWNSHIP OF LONDONDERRY, CHAPTER 27, ZONING, TO REMOVE PROVISIONS RELATED TO TRADITIONAL NEIGHBORHOOD DEVELOPMENTS AND PROVIDE REGULATIONS FOR DATA CENTERS AND THEIR ACCESSORY USES AS PART OF AN OVERLAY DISTRICT; TO PROVIDE FOR THE SEVERABILITY OF THE PROVISIONS THEREOF; AND TO PROVIDE FOR THE EFFECTIVE DATE THEREOF.

WHEREAS, the Londonderry Township Board of Supervises previously duly enacted a Zoning Ordinance of Londonderry Township, Dauphin County, Pennsylvania ("Zoning Ordinance"), pursuant to its statutory authority under the Pennsylvania Municipalities Planning Code ("MPC"), Act 247 of 1968, as amended (53 P.S. § 10101 et seq.); which Zoning Ordinance was codified as Chapter 27 of the Code of Ordinances of Londonderry Township;

WHEREAS, since its adoption, the Board of Supervisors has from time to time amended the Zoning Ordinance; and

WHEREAS, the Board of Supervisors has met the procedural requirements of the MPC and of the Township's ordinance for the adoption of this proposed ordinance—which was prepared and recommended by the Township Planning Commission—including public notice, County planning commission review, and posting requirements, and the holding of a public hearing; and

WHEREAS, the Board of Supervisors of Londonderry Township, Dauphin County Pennsylvania believes it is in the best interest of the Township's residents to amend Chapter 27 (Zoning) of the Code of Ordinances to update and revise provisions throughout Chapter 27 (Zoning) related to the delineation of districts in which certain uses are permitted; and

WHEREAS, the Board of Supervisors, after due consideration of the proposed Ordinance Amendment, at a duly advertised public hearing, has determined that the health, safety, and general welfare of the residents of Londonderry Township will be served by the proposed Ordinance amendment.

NOW THEREFORE it is HEREBY ORDAINED by the Board of Supervisors of Londonderry Township, Dauphin County, Pennsylvania, that Chapter 27, Zoning, of the Code of Ordinances of the Township of Londonderry is amended as follows:

Section 1. Chapter 27 (Zoning) Part 3 (Definitions), Section 302 (Specific Terms), is amended as follows to alphabetically incorporate into the existing Section 302 the text to be added as shown in underline and deleting the stricken text.

§ 302 Specific Terms:

DATA CENTER

A facility used for the housing, operation, and/or co-location of computer and communication equipment for the purpose of storage, management, processing, and/or transmission of digital information necessary for the operation of one of more business, commercial, or governmental entities.

DATA CENTER ACCESSORY USE

Systems, equipment, facilities, and/or components used in the air cooling, water or liquid cooling, power supply systems, telecommunication, cloud communication, and mechanical or environmental controls when used in the support or enabling of a Data Center.

DATA CENTER PARK

A tract of land, developed as an integrated planned development that is laid out exclusively for a group of three or more Data Centers with no other use permitted within the park and having separate building sites designed and arranged in accordance with, and complying with the requirements of, Part 14 (Data Center Overlay District) of this Zoning Ordinance, and other applicable provisions of this Zoning Ordinance; the Londonderry Township Subdivision and Land Development Ordinance; and other applicable ordinances of the Londonderry Township Code of Ordinances, where the purpose is to allow sub-lots to be subdivided as independent tax parcels subject to the regulations as found in Chapter 27 § 1405.

SCREENING - AUDIBLE

A physical barrier that is either an earthen berm with landscaping or a wall, solid or louvered, specifically designed and constructed to disrupt the travel of sound through absorptive or deflective methods and may or may not be part of required visual screening

SCREENING - VISUAL

A physical barrier, including but not limited to landscaping or a wall, solid or louvered, that obscures the visibility of a property or use from abutting properties, this term shall be understood to incorporate "screen planting".

TND OPEN SPACE

Land areas that are free of buildings, except for Township approved noncommercial recreation buildings, and which are permanently restricted against future subdivision and uses other than TND open space by a conservation easement enforceable by the Board of Supervisors and which meet the requirements for TND open space in Part 14 of this chapter. In order to be used to meet a requirement for TND open space, land shall be required to meet all of the following standards:

1. It is designed, intended and suitable for active or passive recreation by residents of a development or the general public;

- 2. It is covered by a system that ensures perpetual-maintenance, if not intended to be publicly owned; and
- 3. It does not use any of the following areas to meet minimum TND open space requirements:
 - A. Existing street rights-of-way.
 - B. Vehicle streets or driveways providing access to other lots.
 - C. Land beneath a building(s) or land within 20 feet of a building (other than accessory buildings and pools clearly intended for noncommercial recreation).
 - D. Off street parking (other than that clearly intended for noncommercial recreation).
 - E. Area(s) needed to meet a requirement for an individual building lot.
 - F. Areas that are directly under electric transmission lines or towers that are designed for a capacity of 35 kilovolts or greater, unless the applicant proves to the satisfaction of the Board of Supervisors as part of the conditional use application—that—such—areas—will—be—landscaped—and—improved—with interconnected recreation trails so as to be attractive and usable as TND open space.

TRADITIONAL NEIGHBORHOOD DEVELOPMENT or TND

A type of development involving a mix of housing types and preserved open space and which may include certain nonresidential uses and which meets the requirements of Part 14 of this chapter.

Section 2. Chapter 27 (Zoning), Part 14 (Traditional Neighborhood Development "TND"), is hereby repealed in its entirety and replaced with Chapter 27 (Zoning), Part 14 ("Data Center Overlay District"), as follows:

Part 14 DATA CENTER OVERLAY ("DCO")

§ 1401 Intent

The purpose of this overlay district is to:

- A. establish standards for the specific uses as defined;
- B. minimize the potential negative impacts on neighboring properties;
- C. provide uniform criteria for the development of such uses; and
- D. plan for and aid in the regulation and enforcement of such uses.

§ 1402 Applicability: Zoning Map

1. The Zoning Map is hereby amended to reflect the addition of the Data Center Overlay District as reflected in Attachment 10, Zoning Map, of this Chapter. An applicant who submits plans for development of land within the DCO District shall have an option of submitting plans under these DCO provisions or under the provisions of the underlying zoning district.

2. If an applicant chooses to utilize these DCO provisions, then all of the requirements of this Part 14 shall apply. All of the provisions of this Chapter and other Township regulations shall remain in full force, except for provisions modified by this Part 14. Where Part 14 and another Zoning Ordinance or Subdivision and Land Development Ordinance provision apply to the exact same matter, Part 14 shall apply in place of that other provision.

§ 1403 Use Approval

The Data Center Overlay shall be subject to the following review and approval methods for the stated base zoning districts in which the overlay use is proposed:

- A. Conditional Use
 - 1. Agriculture
 - 2. R-2 Residential (Multifamily Suburban)
 - 3. Planning Research
- B. Permitted Use/By Right
 - 1. C-2 Commercial (Shopping Center)
 - 2. I-1 Industrial (Light)

§ 1404 General Requirements

The following requirements shall be met for the development of a Data Center or Data Center Accessory Use:

- A. Area Regulations.
 - 1. The lot area shall not be less than 30 contiguous acres.
 - 2. The width of any lot shall not be less than 100 feet at the building setback line.
- B. Required Yard Regulations.
 - 1. Front Yard: 100 feet from the right-of-way line.
 - 2. Side Yard: 75 feet.
 - 3. Rear Yard: 75 feet.
 - 4. Buffer yards shall meet the requirements in Chapter 27 § 1609.5 Buffer Yards
 - 5. Corner lots shall have two (2) front yards, one (1) side yard, and one (1) rear yard.
 - 6. When abutting a residential or agricultural zone or use, the setback from the common property line shall be increased to 120 feet.
 - 7. Accessory uses and structures, including Data Center Accessory Uses, shall be setback at least 50 feet from all property lines.
- C. Height Regulations.
 - 1. Maximum permitted height of any structures is 95 feet.

- a. Building height shall be calculated from the lowest adjacent grade to the top edge of the roof and excludes any mechanical or accessory equipment, facades and/or parapets.
- 2. No mechanical or accessory equipment mounted on the roof may exceed 10 feet in height from the top edge of the roof.

D. Cover Regulations.

- 1. Impervious cover may not exceed 75% of the total lot area.
- 2. At least 10% of the total lot area, excluding stormwater management facilities, must be designated green or open space.


E. Screening Requirements.

- Visual and audible screening shall be provided to all Data Center Accessory Uses and shall include but not be limited to cooling system components including, fans, blowers, water or other liquid cooling pumps, and similar systems and components, power supply systems including, electrical sub-stations, transformers, fuel cells, generators, and similar systems and components. The requirements shall apply to both ground and roof mounted equipment and components.
 - a. Visual screening shall be provided to a minimum height of 12 feet for ground mounted components and 10 feet for roof mounted components. Screening must be provided on all sides of the structure except when one side is facing and completely enclosed by the primary Data Center building.
 - b. Audible screening shall be provided as to prohibit objectionable or nuisance sound levels at neighboring property lines in accordance with Chapter 27 § 1404.F.2. Screening must be provided on all sides of the structure except when one side is facing and completely enclosed by the primary Data Center building.
- 2. When noise producing equipment is abutting a residential or agricultural district or use, such equipment shall be placed so that the Data Center is between the affected lot and the equipment.
- 3. If the Data Center has more than one lot line that abuts a residential or agricultural district or use, the sound producing equipment shall be placed on the side of the Data Center that does not abut the residential or agricultural district or use or the side that has greatest setback from the affected property line(s) with distance preference going to existing residential uses.

F. Lighting and Sound.

1. Lighting.

- a. A photometric plan shall be provided showing all exterior lighting for the Data Center and shall be designed so as to not produce more than .25 foot-candles at any abutting lot line or right of way line.
- b. Exterior lighting shall not be mounted higher than 38 feet on a standard or other freestanding support or the exterior of a structure from the lowest adjacent grade. The fixture shall be fully shielded or cutoff so as to direct light at a downward angle and towards the interior of the lot and not equal to or higher than the horizontal plane of the bulb, bulb enclosure, or light shielding (See Figure 27-1404.F.1 Light Shielding).



2. Sound.

- a. A Sound study shall be provided during pre-construction plan review showing anticipated levels and post construction actual conditions showing sound levels at the time of operation along all property lines.
- b. Sound levels shall not exceed the specified dBA and dBC levels provided in Table 27-1404.F.2 for the zoning district contiguous to the property line of the subject property measured at the property line.

- i. For the purposes of this section: "Daytime" means sunrise to sunset and "Nighttime" means sunset to sunrise for the 24-hour period in question.
- c. The provisions of this Subsection 2 shall not apply in the event of:
 - 1. Testing of auxiliary power systems, including generators, between the hours of 7:00 AM and 7:00 PM EST. Such systems may not exceed 80 dBA or dBC during use.
 - 2. Auxiliary power systems in use during an emergency or primary power system failure.

Table 27-1404.F.2									
	Maximum Sound Levels for Data Centers at Property Line								
Affected Zoning District(s)	Daytime Maximum dbA	Nighttime Maximum dbA	Daytime Maximum dbC	Nighttime Maximum dbC					
Agriculture (AG)	60	55	70	65					
Residential (R-1, R-2, MHR)	60	55	70	65					
Commercial (C-1 and C-2)	65	60	75	70					
Industrial (I-1, I-1, and PR)	70	65	80	75					

G. Signs.

- 1. The provisions of Chapter 27 § 1807, Signs authorized in the Commercial and Planning Research Districts, shall apply.
- 2. When a Data Center is co-located with multiple tenants, Chapter 27 § 1809, Signs for Multiple Tenant Facilities, shall apply.

H. Access and Security.

- 1. Primary access shall be from an arterial or collector street with secondary egress and emergency access provided from any adjacent street.
- 2. Any gated emergency access route or secondary access route shall be fitted with the "knox-box" type device dictated by the fire department recognized under Chapter 1 Administration and Government, Part 6 Fire Department of the Londonderry Township Code of Ordinances.
- 3. All fencing, including security fencing, may not exceed 10 feet in height at the highest point of the fencing or any appendages, including but not limited to barb wire.
- 4. Any non-riverine water source, including but not limited to ponds, lakes, marshes, swamps and similar areas, whether man-made or naturally occurring, shall be fully enclosed with a fence at least 4 feet in height. This

- includes all Stormwater Management facilities installed in accordance with Chapter 28 of the Londonderry Township Code of Ordinances.
- 5. Parking spaces shall be provided in accordance with the following and meet all other requirements of Chapter 27, Part 19, Off- Street Parking.
 - a. 1.5 spaces per on-site employee on the largest shift.
 - b.Off Street Loading Facilities.
 - i. 1 space per 125,000 square feet of gross floor area with a minimum of 2 spaces.
 - ii. Off Street Loading Facilities, including loading docks and parking for vehicles of Class 6 or higher rating as defined by the Federal Highway Administration of the US Dept of Transportation, shall be designed in accordance Chapter 27 § 1912.2 Required Berths for Off-Street Loading, Specifications.
- 6. All access roads, including emergency access roads, shall have a total lane width of not less than 26 feet, excluding any on street parking areas and shoulder. Cul-de-sacs shall have a diameter of at least 96 feet.
- 7. A minimum of 1 fire lane intended for aerial apparatus access to roof structures shall be provided. The lane shall be:
 - a.a minimum of 26 feet wide restricted to travel and not including any on street parking areas or shoulder;
 - b.clearly identified with ground markings and post-mounted signs;
 - c. free from any overhead obstructions; and
 - d. able to access the area not less than 15 feet nor greater than 30 feet from the Data Centers and be on the same side of the structure as the access road.

I. Environmental Requirements.

- 1. Water use.
 - a. Raw Water: Applicant shall provide proof of review and approval from the Susquehanna River Basin Commission (SRBC) for all projects that will have ground and/or surface water consumption of 20,000 gpd or more and shall supply a raw water needs analysis showing required quantities from any private or public source.
 - b. Public Water: Applicant shall provide a will serve letter from the public utility confirming that the required quantities will be supplied and shall supply a water needs analysis confirming required quantities.
- 2. Any cooling system use where water is taken directly from a riverine water source shall be designed and installed in accordance with all Federal and State regulatory and permitting requirements. The extraction and outflows components must be secured from access by fencing of at least 6 feet in height.
- 3. Public water and sewer shall be provided for all sanitary facilities.

- 4. Any emissions of exhaust, gases, noxious odor or similar shall adhere to applicable State and Federal emission standards.
- 5. A decommissioning plan shall be submitted as part of any Land Development submission and shall show how the site will be returned to a neutral state, being a condition that is easily adapted to similar uses, and the handling and removal of any Electronic Waste (also known as "E-Waste") and/or any other hazardous material that may be present on the site.

§ 1405 Additional Regulations for Data Center Parks.

The following requirements shall be met for the development of a Data Center or Data Center Accessory Use:

- A. Reciprocal Restrictive Covenants and Cross Easements.
 - 1. A Data Center Park must be subject to a recorded agreement or other instrument, approved by the Township, permanently restricting the use of the entire parent tract constituting the Data Center Park exclusively for Data Center uses; providing reciprocal easements and covenants necessary for access, utilities, general and emergency access routes, open space, common sound abatement improvements, and stormwater management facilities; and providing for the continued maintenance of the common areas and common facilities for the benefit of all of the sub-lots of the Data Center Park (collectively referred to herein as the "Data Center Restrictive Covenants) as part of any Subdivision or Land Development Plan for the approval of a Data Center Park. Such Data Center Restrictive Covenants shall provide that the Township shall be considered a third-party beneficiary of the restrictive covenant relating to the prohibition on uses other than Data Center Uses or other restrictive covenants that are conditions of the approval of any Subdivision and Land Development Plan, which provisions shall not be terminated or modified without the recorded consent of the Township. However, any other provisions of such agreement or other instrument may be modified by the owners of the sub-lots of the Data Center Park without the need for Township consent.

B. Area Regulations.

- 1. The minimum lot size of the parent tract shall be in accordance with § 1404.A.
- 2. The minimum lot size of an internal lot is 6 acres.
- 3. The lot width of any internal lot shall not be less than 100 feet at the building setback line.

C. Yard Regulations.

- 1. Perimeter lot lines of the Park shall be in accordance with § 1404.B.
- 2. Internal lot lines.

- a. Front Yard: 75 feet
- b. Side Yard: 50 feet
- c. Rear Yard: 50 feet
- d. When a corner lot is formed by an interior lot line, 2 front yards, 1 side yard, and 1 rear yard are required.
- 3. Accessory uses, including Data Center Accessory Uses, shall meet the following requirements:
 - a. When an accessory use abuts a perimeter lot line, the setback shall conform to § 1404.C.7.
 - b. When an accessory use abuts an internal lot line, the minimum setback is reduced to 10 feet. This section applies to parking and loading areas.

D. Height Regulations.

1. All structures within the Park shall conform to § 1404.C.

E. Cover Regulations.

- 1. Overall impervious cover of the parent tract shall conform to § 1404.D.
- 2. Internal lot coverage may not exceed 75%.

F. Screening Requirements.

- 1. Roof mounted equipment and components shall conform to § 1404.E.
- 2. Ground mounted equipment components shall conform to § 1404.E when equipment and components are visible from any perimeter lot line
- 3. A screening plan shall be provided as part of any Land Development submission proposing a Data Center Park demonstrating compliance with this Section.

G. Lighting and Sound.

- 1. Perimeter lot lines shall conform to § 1404.F.
- 2. Interior lots and lot lines shall not be required to conform to § 1404.F.
- 3. A photometric plan and sound study shall be provided as part of any Land Development submission proposing a Data Center Park demonstrating compliance with this Section.

H. Other Requirements.

1. All lots and areas within the Park shall conform to § 27-1404 General Requirements, Subsection G (Signs) through I (Environmental Requirements).

Section 3. Zoning Map Change

The Code of Ordinance of Londonderry Township, Chapter 27 Zoning, Attachment 10 Zoning Map is hereby amended to remove the identified TND Overlay district and reflect the additional of the Data Center Overlay district (DCO) as identified in the attached Exhibit A.

The parcels included in the DCO at the time of passage of this Ordinance are identified in the attached Exhibit B. Changes in parcel numbers following the date of this Ordinance will not affect the application of the DCO to the land identified in the Zoning Map as in the DCO district.

Section 4. Repealer

All ordinances or parts of ordinances inconsistent herewith or in conflict with any of the specific terms enacted hereby, to the extent of said inconsistencies or conflicts, are hereby specifically repealed.

Section 5. Revisions

The Board of Supervisors does hereby reserve the right, from time to time, to adopt modification of, supplements to, or amendments of its zoning ordinance, including this provision.

Section 6. Severability

In the event any provisions, sections, sentences, clause, or part of this Ordinance Amendment shell be held invalid, illegal, or unconstitutional by a court of competent jurisdiction, such invalidity, illegality, or unconstitutionality shall no affect or impair the remaining provisions, sections, sentences, clauses, or parts of this Ordinance Amendment, it being the intent of the Board of Supervisors that the remainder of the Ordinance Amendment shall remain in full force and effect.

Section 7. Effective Date

This Ordinance Amendment shall take effect the Board of Supervisors of Londonderry To	et and be in force five (5) days after its enactment by ownship as provided by law.	У
	day of 2025, by the ship, Dauphin County, Pennsylvania, in lawful	
ATTEST:	BOARD OF SUPERVISORS LONDONDERRY TOWNSHIP	
By:	_ By: Ron Kopp, Chair	

EXHIBIT A




EXHIBIT B

PID	House #	Rd Dir	Street Name	St Suf
24-049-007			WEST OF MIDDLETOWN	RD
24-049-008			WEST OF MIDDLETOWN	RD
34-001-001	3555		VINE	ST
34-001-003	3260		SCHOOLHOUSE	RD
34-001-004			SWATARA CREEK RD L2	
34-001-005	1320		SWATARA CREEK	RD
34-001-006	1310		SWATARA CREEK	RD
34-001-007	1500		VINE	ST
34-001-019	1930		SWATARA CREEK	RD
34-001-020	1970		SWATARA CREEK	RD
34-001-021	1950		SWATARA CREEK	RD
34-001-032	1800		SWATARA CREEK	RD
34-001-038			GOOSE ISLAND	
34-001-039	3127		SWATARA CREEK	RD
34-001-043	1990		SWATARA CREEK	RD
34-001-047	1290		SWATARA CREEK	RD
34-001-048	1480		SWATARA CREEK	RD
34-001-050	2000	\neg	VINE	ST
34-001-054	3240		SCHOOLHOUSE	RD
34-001-065	4000		VINE	ST
34-001-066	3111		SCHOOLHOUSE	RD
34-001-067	3123		SCHOOLHOUSE	RD
34-001-069			SCHOOLHOUSE	RD
34-001-070	3223		SCHOOLHOUSE	RD
34-001-071	4001		VINE	ST
34-001-072			SCHOOLHOUSE	RD
34-001-076	3253		SCHOOLHOUSE	RD
34-001-083	34		DOGWOOD	DR
34-001-084		-	DOGWOOD DR L5	
34-001-085		_	DOGWOOD DR L6	
34-001-086			DOGWOOD DR L7	
34-001-087			SCHOOLHOUSE RD L8	
34-001-089			SWATARA CREEK	RD
34-001-090		 i	SCHOOLHOUSE	LN
34-001-091	3263		SCHOOLHOUSE	RD
34-001-092	3100		SCHOOLHOUSE	RD
34-001-093	2400		SWATARA CREEK	RD
34-001-094	2800		VINE	ST
34-001-095	2200		VINE	ST
34-001-099	1		SWATARA CREEK RD L2 REMAINDER	
34-002-092	299	-	NEWBERRY	RD
34-002-097		_	VINE	ST
34-002-210			EAST OF VINE ST	
34-002-211			EAST OF VINE ST	
34-003-001	305		NEWBERRY	RD
34-003-003	321	_	NEWBERRY	RD
34-003-004	333	_	NEWBERRY	RD
34-003-005			NEWBERRY	RD
34-003-050	315	+	NEWBERRY	RD
34-003-057	325	_	NEWBERRY	RD
34-003-069	323		NEWBERRY	RD
34-003-070	100		LAUFFER RD EXTENDED	-,,,,,
34-005-001	95		NEWBERRY	RD
31003001	22		ALTIDEINI	

34-005-003			SWATARA CREEK	RD
34-005-004	690	 -	SWATARA CREEK	RD
34-005-005	670	 	SWATARA CREEK	RD
34-005-006	640	-	SWATARA CREEK	RD
34-005-007	040	+	IRON MINE	RD
34-005-008	915	E	HARRISBURG PIKE	1,10
34-005-009	290	-	NEWBERRY	RD
		┝	·	
34-005-011	310		LAUFFER	RD
34-005-012	190	-	LAUFFER	RD
34-005-042	386	_	IRON MINE	RD
34-005-043	310		IRON MINE	RD
34-005-044	392	 	IRON MINE	RD
34-005-045	396	<u> </u>	IRON MINE	RD
34-005-056	510	 	LAUFFER	RD
34-005-064	90		NEWBERRY	RD
34-005-067	515	ļ	IRON MINE	RD
34-005-071	377	ļ	LAUFFER	RD
34-005-085	650		SWATARA CREEK	RD
34-005-102	308		LAUFFER	RD
34-005-113	301		NEWBERRY	RD
34-005-114	950		SWATARA CREEK	RD
34-005-122	290		LAUFFER	RD
34-005-123	188		NEWBERRY	RD
34-005-124	180		NEWBERRY	RD
34-005-125			NEWBERRY RD L2	
34-005-126			LAUFFER RD L2	
34-005-128	185		NEWBERRY	RD
34-005-129	95		NEWBERRY	RD
34-005-130	318		NEWBERRY	RD
34-005-131	338	<u> </u>	NEWBERRY	RD
34-005-147			SWATARA CREEK	RD
34-006-025		E	HARRISBURG PIKE	
34-006-045	1597	•	COLEBROOK	RD
34-006-080	1997	Е	HARRISBURG PIKE	
34-009-002	1125	Ε	HARRISBURG PIKE	
34-009-003	1368	E	HARRISBURG PIKE	
34-009-004	915	Ε	HARRISBURG PIKE	
34-009-017		Ε	HARRISBURG PIKE	
34-009-042		Ε	HARRISBURG PIKE L2	
34-009-043		Ε	HARRISBURG PIKE L3	
34-009-044		Ε	HARRISBURG PIKE L2A	
34-009-048			COLEBROOK/E HBG Pike Pump Sta	
34-011-047	2083	Е	HARRISBURG PIKE	
34-011-049		E	HARRISBURG PIKE	
34-011-050	2163	E	HARRISBURG PIKE	
34-011-051	2175	E	HARRISBURG PIKE	
34-011-052	2187	E	HARRISBURG PIKE	
34-011-055	2267	E	HARRISBURG PIKE	
34-011-057	2495	Е	HARRISBURG PIKE	
34-011-058	55	N	GEYERS CHURCH	RD
34-011-059	2507	E	HARRISBURG PIKE	1
34-011-060	98	N	GEYERS CHURCH	RD
34-011-061	132	N	GEYERS CHURCH	RD
34-011-062	148	N	GEYERS CHURCH	RD
34-011-072	2633	E	HARRISBURG PIKE	
<u> </u>	-			

	34-011-073	2771	E	HARRISBURG PIKE	
	34-011-074	2857	E	HARRISBURG PIKE	
	34-011-075		E	HARRISBURG PIKE	
	34-011-076	2961	E	HARRISBURG PIKE	
	34-011-077	2973	E	HARRISBURG PIKE	
	34-011-078	1398		COLEBROOK	RD
	34-011-081		E	HARRISBURG PIKE	
	34-011-086	90	 	GEYERS CHURCH	RD
	34-011-111	2628	E	HARRISBURG PIKE	1.0
	34-011-112	2690	E	HARRISBURG PIKE	
	34-011-113	2700	E	HARRISBURG PIKE	
	34-011-114	2826	E	HARRISBURG PIKE	
	34-011-115	2888	E	HARRISBURG PIKE	
	34-011-117	2996	E	HARRISBURG PIKE	
	34-011-117	3084	E	HARRISBURG PIKE	
		··· · ·	E	 	
	34-011-139	3751		HARRISBURG PIKE	
	34-011-140	3220	E	HARRISBURG PIKE	
	34-011-141	3244	E	HARRISBURG PIKE	
	34-011-142	3268	E	HARRISBURG PIKE	-
	34-011-143	3286	E	HARRISBURG PIKE	
	34-011-144	3336	E	HARRISBURG PIKE	+
	34-011-145	3334	E	HARRISBURG PIKE	
	34-011-146	3386	E	HARRISBURG PIKE	
	34-011-147	3492	E	HARRISBURG PIKE	
	34-011-148	3598	E	HARRISBURG PIKE	
	34-011-157		Е	HARRISBURG PIKE	
	34-011-161	2997	E	HARRISBURG PIKE	
	34-011-166	2572	Ē	HARRISBURG PIKE	
:	34-011-168	148		REAR N GEYERS CHURCH	RD
	34-011-189		E	HARRISBURG PIKE	
	34-011-195	2255		FOXIANNA	RD
	34-011-199	3057	E	HARRISBURG PIKE	
	34-011-201	2617	E	HARRISBURG PIKE	
	34-011-206	2777	E	HARRISBURG PIKE	
	34-011-208	2533		FOXIANNA	RD
	34-011-214	2500	E	HARRISBURG PIKE	
	34-011-215	50	S	GEYERS CHURCH	RD
	34-011-217	2990	E	HARRISBURG PIKE	
	34-011-224	,		GEYERS CHURCH	RD
	34-011-225			EAST OF HARRISBURG PIKE	
	34-011-231	2593	E	HARRISBURG PIKE	
	34-011-241	2195	E	HARRISBURG PIKE	
	34-011-242	2203	E	HARRISBURG PIKE	-
	34-011-244	3234	- <u>-</u>	HARRISBURG PIKE	
	34-011-245	2900	E	HARRISBURG PIKE	
	34-011-247	2900	E	HARRISBURG PIKE	
	34-011-254			GEYER CHURCH	RD
·	34-011-257	3235		FOXIANNA	RD RD
	34-011-237	2235	E	HARRISBURG PIKE	1 10
	34-011-312	60		GEYERS CHURCH	- DD
		00	N		RD
	34-011-315	1200		GEYERS CHURCH RD L1	
	34-011-316	1398		COLEBROOK	RD
	34-011-317			GEYERS CHURCH RD L2	
	34-011-318	75	N	GEYERS CHURCH	RD
	34-011-319	85	N	GEYERS CHURCH	RD

		1	Tailing a grand and a	
34-011-320	95	<u> </u>	GEYERS CHURCH RD	
34-011-321	105	N	GEYERS CHURCH RD L6	
34-011-322			GEYERS CHURCH RD L7	
34-011-323		E	HARRISBURG PIKE	
34-011-327	3327	E	HARRISBURG PIKE	
34-012-001	3055	Ε	HARRISBURG PIKE	
34-012-002	3069	E	HARRISBURG PIKE	
34-012-003	3083	E	HARRISBURG PIKE	
34-012-004	3091	E	HARRISBURG PIKE	
34-012-005	3137	E	HARRISBURG PIKE	
34-012-006	3149	Е	HARRISBURG PIKE	
34-012-007	3167	E	HARRISBURG PIKE	
34-012-008	3193	E	HARRISBURG PIKE	
34-017-084			WEST OF HILLSDALE RD	
34-018-017	3898	E	HARRISBURG PK	
34-020-002	3983	E	HARRISBURG PIKE	<u> </u>
34-020-003	4043	E	HARRISBURG PIKE	<u> </u>
34-020-004	4065	E	HARRISBURG PIKE	
34-020-005	4093	E	HARRISBURG PIKE	
34-020-005	4189	E	HARRISBURG PIKE	
34-020-007	4197	E	HARRISBURG PIKE	
34-020-007	4545		HARRISBURG PIKE	
34-020-010	4044	E	HARRISBURG PIKE	
				
34-020-012	4076	E	HARRISBURG PIKE	
34-020-013	4098	E	HARRISBURG PIKE	
34-020-014	4112	E	HARRISBURG PIKE	
34-020-015	4154	<u> </u>	HARRISBURG PIKE	
34-020-016	4190	Ε	HARRISBURG PIKE	
34-020-017	4006	E	HARRISBURG	PIKE
34-020-019	4294	E	HARRISBURG PIKE	
34-020-026	4319	Е	HARRISBURG PIKE	
34-020-028	267		CEDAR	AVE
34-020-029		E	HARRISBURG PIKE	
34-020-032	249		CEDAR	AVE
34-020-035	4188	E	HARRISBURG PIKE	
34-020-036	303		CEDAR	ST
34-020-039	4008	E	HARRISBURG PIKE	
34-020-040	4010	Ē	HARRISBURG PIKE	
34-020-042	205		CEDAR	AVE
34-020-043	227		CEDAR	ST
34-020-044	269		CEDAR	AVE
34-020-045		:	CEDAR	ST
34-020-046			CEDAR	ST
34-020-047			CEDAR	ST
34-020-048			CEDAR	ST
34-020-049			CEDAR	AVE
34-020-052		S	DEODATE	RD
34-020-053	4079		HARRISBURG PIKE	
34-020-053	۲,03	Ë	HARRISBURG PIKE	
34-020-058			CEDAR	AVE
				ST
34-020-059			CEDAR WEST OF CEDAR	
34-020-060				ST
24 020 005			ししょりりにひいりぐ ウッケー・イク	
34-020-065 34-020-066			HARRISBURG PIKE L1C HARRISBURG PIKE L1B	

34-020-076		E	HARRISBURG PIKE L-1	
34-025-003	4000	E	HARRISBURG PIKE	
34-026-010	4801	E	HARRISBURG PIKE	
34-026-011	4819	Е	HARRISBURG PIKE	
34-026-012	2798	N	MARKET	ST
34-026-013	2750	Ν	MARKET	ST
34-026-014	2698	N	MARKET	ST
34-026-015	4806	Е	HARRISBURG PIKE	
34-026-016	4818	E	HARRISBURG PIKE	
34-026-017	4830	E	HARRISBURG PIKE	
34-026-018	512		HOFFER	RD
34-026-019	306		HOFFER	RD
34-026-020	2850	N	MARKET	ST
34-026-026	201		ROSLYN	RD
34-026-030	2623	N	MARKET	ST
34-026-037		N	HERTZLER RD	
34-034-069	2820	N	MARKET	ST
34-001-PDH				
34-002-PDH				
34-005-PDH		-		
34-006-PDH				
34-005-PPL				
34-011-PDH				
34-009-METED				